

Heating-up into 6 seconds
Melting tin into 8 seconds

Instantaneous heating-up
Reach to 350°C into 6 seconds



Small size

80*80*54mm

It is a small size electric
soldering iron machine



fast heating-up soldering iron tip

...

Well effective with soldering tin
Anti-oxide
Long use

Integrated T12
soldering iron

Installation soldering iron without tool

...

The pull and push heating up core is easy to operate





Support to
work long time



Fast heat up



Control
temperature
precisely



Quality assurance

Stand for electric soldering iron

...

Standard sponge for wiping out soldering iron



Additional Storage hole for
integrated heating core



Two styles to choose



Luxury style




Simple style

Applicable scope



Electric maintenance for after sale



For DIY operation



Production operation



Product research and development

Fast heating-up with intelligent constant temperature

480°C constant controlled temperature.
The temperature steady fast melting tin.



Suitable for use in world widely

220V / 110V voltage use



Chinese plug
220V-50Hz



European plug
220V-50Hz



American plug
110V-60Hz



BS plug
230V-50Hz

SUNKKO 950T_{PRO} soldering iron

✓ Anti-static ✓ High power ✓ Fast heat up



Blue



Black



Red



Soldering station parameter

WELDING TABLE PARAMETERS

Brand/Model	SUNKKO 950T PRO	Output power	75W
Output voltage	AC100-240V 50/60Hz	Output voltage	DC22V (Maximum)
Temperature range	200-480°C (392~896°F)	Controlled temperature operation	knob for adjustment
Heat-up time	the temperature reach to 350°C (662°F) only 6-8 seconds in room temperature 25°C	Size	80*80*58mm

Electric soldering iron parameter

HANDLE PARAMETERS

Voltage / power	DC 20V/75W	The heating element	integrated T12-B2
Weight	55g	The length with cable	80cm
Ground connection impedance of electric soldering tip	$\leq 2\Omega$	Ground connection electric potential of electric soldering tip	$\leq 2\text{mv}$

LED Screen display

We could know the temperature through the screen
The adjustment temperature 200-480°C.



SUNKKO | 950T-PRO

T12 ELECTRIC CONSTANT TEMPERATURE SOLDERING STATION

The temperature reach to 350°C only 6-8 seconds



CE HIGH QUALITY



GGCT



INTELLIGENT CONSTANT TEMPERATURE



RED/BLUE/BLACK Available in three colors

- With Integrated T12-B2 Heating Core
- High-class aluminium alloy